





ZEE SECTION PROPERTIES



Size		t	g	w	r	area	weight per ft.	Effective S	
D	B							I <sub>x</sub>	S <sub>x</sub>
In.	In.	In.	In.	Deg.	In.	<sup>2</sup> In.	Lb.	<sup>4</sup> In.	<sup>2</sup> In.
6.0	2.25	0.060	0.994	50.00	3/16	0.720	2.450	4.020	1.235
8.0	2.50	0.060	1.000	50.00	3/16	0.877	2.980	8.482	2.121
		0.075	1.000	50.00	3/16	1.093	3.720	10.516	2.629
		0.105	1.000	50.00	3/16	1.519	5.170	14.480	3.620
10.0	3.00	0.075	1.000	50.00	3/16	1.318	4.480	19.696	3.939
		0.105	1.000	50.00	3/16	1.834	4.594	27.202	5.440

CEE SECTION PROPERTIES



Size		t	g	w	r	area	weight per ft.	Effective S	
D	B							I <sub>x</sub>	S <sub>x</sub>
In.	In.	In.	In.	Deg.	In.	<sup>2</sup> In.	Lb.	<sup>4</sup> In.	<sup>2</sup> In.
6.0	2.50	0.060	1.057	90.00	3/16	0.720	2.450	3.904	1.209
8.0	2.50	0.060	1.000	90.00	3/16	0.864	2.940	8.195	2.049
		0.075	1.000	90.00	3/16	1.074	3.660	10.137	2.534
		0.105	1.000	90.00	3/16	1.489	5.070	13.895	3.474
10.0	3.00	0.075	1.000	90.00	3/16	1.299	4.420	19.129	3.826
		0.105	1.000	90.00	3/16	1.804	6.140	26.318	5.264